

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 09.04.2017

Page 1 of 8

Revision date: 10.25.2017

**Black 903UXCM**

## SECTION 1: Identification

### Product identifier

**Product name:** Black 903UXCM

**Product code:** EPR501001



### Recommended use of the product and restriction on use

**Relevant identified uses:** Not determined or not applicable.

**Uses advised against:** Not determined or not applicable.

**Reasons why uses advised against:** Not determined or not applicable.

### Manufacturer or supplier details

#### Manufacturer:

##### Canada

Ecopoxy  
Box 220  
Morris  
Manitoba, R0G1K0, Canada  
855-326-7699  
info@ecopoxy.com

#### Supplier:

##### United States

EcoPoxy USA, Inc.  
10440 66 St. North  
Unit #3  
Pinellas Park FL 33782  
855-326-7699  
info@ecopoxy.com

### Emergency telephone number:

#### United States

##### ChemTel Inc

+1 800 255 3924

#### Canada

##### ChemTel Inc

+1 813 248 0585

## SECTION 2: Hazard(s) identification

### GHS classification:

Unstable explosives

### Label elements

#### Hazard pictograms:



**Signal word:** Danger

### Hazard statements:

H200 Unstable explosive

### Precautionary statements:

P201 Obtain special instructions before use

P202 Do not handle until all safety precautions have been read and understood

P281 Use personal protective equipment as required

P372 Explosion risk in case of fire

P373 Do not fight fire when fire reaches explosives

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 09.04.2017

Page 2 of 8

Revision date: 10.25.2017

## Black 903UXCM

P380 Evacuate area

P401 Store ...

P501 Dispose of contents and container as instructed in Section 13

**Hazards not otherwise classified:** None

## SECTION 3: Composition/information on ingredients

Identification	Name	Weight %
CAS number: 1333-86-4	Respirable Carbon Black	

**Additional Information:** None

## SECTION 4: First aid measures

### Description of first aid measures

#### General notes:

Not determined or not applicable.

#### After inhalation:

Loosen clothing as necessary and position individual in a comfortable position

Maintain an unobstructed airway

Get medical advice/attention if you feel unwell

#### After skin contact:

Rinse affected area with soap and water

If symptoms develop or persist, seek medical attention

#### After eye contact:

Rinse/flush exposed eye(s) gently using water for 15-20 minutes

If symptoms develop or persist, seek medical attention

#### After swallowing:

Rinse mouth thoroughly

Seek medical attention if irritation, discomfort, or vomiting persists

### Most important symptoms and effects, both acute and delayed

#### Acute symptoms and effects:

Not determined or not applicable.

#### Delayed symptoms and effects:

Not determined or not applicable.

### Immediate medical attention and special treatment

#### Specific treatment:

Not determined or not applicable.

#### Notes for the doctor:

Not determined or not applicable.

## SECTION 5: Firefighting measures

### Extinguishing media

#### Suitable extinguishing media:

Use appropriate fire suppression agents for adjacent combustible materials or sources of ignition

#### Unsuitable extinguishing media:

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 09.04.2017

Page 3 of 8

Revision date: 10.25.2017

## Black 903UXCM

Not determined or not applicable.

### Specific hazards during fire-fighting:

Thermal decomposition can lead to release of irritating gases and vapors

### Special protective equipment for firefighters:

Use typical firefighting equipment, self-contained breathing apparatus, special tightly sealed suit

### Special precautions:

Not determined or not applicable.

## SECTION 6: Accidental release measures

### Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation  
Ensure air handling systems are operational  
Wear protective eye wear, gloves and clothing

### Environmental precautions:

Should not be released into the environment  
Prevent from reaching drains, sewer or waterway

### Methods and material for containment and cleaning up:

Wear protective eye wear, gloves and clothing  
Absorb with non-combustible liquid-binding material (sand, diatomaceous earth (clay), acid binders, universal binders)  
Dispose of contents / container in accordance with local regulations

### Reference to other sections:

Not determined or not applicable.

## SECTION 7: Handling and storage

### Precautions for safe handling:

Use only with adequate ventilation.  
Avoid breathing mist or vapor.  
Do not eat, drink, smoke or use personal products when handling chemical substances.

### Conditions for safe storage, including any incompatibilities:

Keep container tightly sealed.  
Protect from freezing and physical damage.  
Store in a cool, well-ventilated area.

## SECTION 8: Exposure controls/personal protection

Only those substances with limit values have been included below.

### Occupational Exposure limit values:

Country (Legal Basis)	Substance	Identifier	Permissible concentration
United States (OSHA)	Respirable Carbon Black	1333-86-4	OSHA PEL TWA 3.5 mg/m <sup>3</sup>
ACGIH	Respirable Carbon Black	1333-86-4	ACGIH TLV TWA 3.5 mg/m <sup>3</sup>

### Biological limit values:

No biological exposure limits noted for the ingredient(s).

### Information on monitoring procedures:

Monitoring of the concentration of substances in the breathing zone of workers or in the general workplace may be required to confirm compliance with an OEL and adequacy of exposure controls.

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 09.04.2017

Page 4 of 8

Revision date: 10.25.2017

## Black 903UXCM

Biological monitoring may also be appropriate for some substances.

### Appropriate engineering controls:

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of use or handling.

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor and mists below the applicable workplace exposure limits (Occupational Exposure Limits-OELs) indicated above.

### Personal protection equipment

#### Eye and face protection:

Safety goggles or glasses, or appropriate eye protection.

#### Skin and body protection:

Select glove material impermeable and resistant to the substance.

Wear appropriate clothing to prevent any possibility of skin contact.

#### Respiratory protection:

If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.

### General hygienic measures:

Avoid contact with skin, eyes and clothing.

Wash hands before breaks and at the end of work.

Wash contaminated clothing before reuse.

## SECTION 9: Physical and chemical properties

### Information on basic physical and chemical properties

Appearance	Black Viscous Liquid
Odor	Mild
Odor threshold	Not Determined
pH	Approx 6
Melting point/freezing point	Not Determined
Initial boiling point/range	> 199 °C (> 390 °F)
Flash point (closed cup)	204 °C (399 °F)
Evaporation rate	Not Determined
Flammability (solid, gas)	Not Applicable
Upper flammability/explosive limit	Not Determined
Lower flammability/explosive limit	Not Determined
Vapor pressure	<0.0013 hPa (<0 mm Hg) (<0.001 mm Hg)
Vapor density	Not Determined
Density	1.05 g/cm <sup>3</sup> (8.75 lbs/gal)
Relative density	Not Determined
Solubilities	Slightly soluble in water
Partition coefficient (n-octanol/water)	Not Determined
Auto/Self-ignition temperature	Product is not self-igniting.
Decomposition temperature	Not determined.
Dynamic viscosity	1200±360 CPS
Kinematic viscosity	Not Determined

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 09.04.2017

Page 5 of 8

Revision date: 10.25.2017

## Black 903UXCM

<b>Explosive properties</b>	Product does not present an explosion hazard.
<b>Oxidizing properties</b>	Non-oxidizing.

### Other information

## SECTION 10: Stability and reactivity

### Reactivity:

Does not react under normal conditions of use and storage.

### Chemical stability:

Stable under normal conditions of use and storage.

### Possibility of hazardous reactions:

None under normal conditions of use and storage.

### Conditions to avoid:

None known.

### Incompatible materials:

None known.

### Hazardous decomposition products:

None known.

## SECTION 11: Toxicological information

### Acute toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:** No data available.

**Substance data:** No data available.

### Skin corrosion/irritation

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:** No data available.

**Substance data:** No data available.

### Serious eye damage/irritation

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:** No data available.

**Substance data:** No data available.

### Respiratory or skin sensitization

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:** No data available.

**Substance data:** No data available.

### Carcinogenicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:** No data available.

**Substance data:**

Name	Species	Result
Respirable Carbon Black	Respirable Carbon Black	The carcinogenic classification only applies to airborne, unbound particles of respirable size.

### International Agency for Research on Cancer (IARC):

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 09.04.2017

Page 6 of 8

Revision date: 10.25.2017

## Black 903UXCM

Name	Classification
Respirable Carbon Black	Group 2B - Possibly carcinogenic to humans

**National Toxicology Program (NTP):** None of the ingredients are listed.

### Germ cell mutagenicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:** No data available.

**Substance data:** No data available.

### Reproductive toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:** No data available.

**Substance data:** No data available.

### Specific target organ toxicity (single exposure)

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:** No data available.

**Substance data:** No data available.

### Specific target organ toxicity (repeated exposure)

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:** No data available.

**Substance data:** No data available.

### Aspiration toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:** No data available.

**Substance data:** No data available.

**Information on likely routes of exposure:** No data available.

**Symptoms related to the physical, chemical and toxicological characteristics:** No data available.

**Other information:** No data available.

## SECTION 12: Ecological information

### Acute (short-term) toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:** No data available.

**Substance data:** No data available.

### Chronic (long-term) toxicity

**Product data:** No data available.

**Substance data:** No data available.

### Persistence and degradability

**Product data:** No data available.

**Substance data:** No data available.

### Bioaccumulative potential

**Product data:** No data available.

**Substance data:** No data available.

### Mobility in soil

**Product data:** No data available.

**Substance data:** No data available.

**Other adverse effects:** No data available.

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 09.04.2017

Page 7 of 8

Revision date: 10.25.2017

**Black 903UXCM**


## SECTION 13: Disposal considerations

### Disposal methods:

It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities

## SECTION 14: Transport information

### United States Transportation of dangerous goods (49 CFR DOT)

UN number	3082
UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID ALKYLAMMONIUM SALT
UN transport hazard class(es)	9 
Packing group	III
Environmental hazards	None
Special precautions for user	None

### International Maritime Dangerous Goods (IMDG)

UN number	Not regulated
UN proper shipping name	Not regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None
Special precautions for user	None

### International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

UN number	Not regulated
UN proper shipping name	Not regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None
Special precautions for user	None

## SECTION 15: Regulatory information

### United States regulations

#### Inventory listing (TSCA):

1333-86-4	Respirable Carbon Black	Listed
-----------	-------------------------	--------

**Significant New Use Rule (TSCA Section 5):** Not determined.

**Export notification under TSCA Section 12(b):** Not determined.

#### SARA Section 311/312 hazards:

Acute	Chronic	Fire	Pressure	Reactive
No	No	No	No	No

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 09.04.2017

Page 8 of 8

Revision date: 10.25.2017

## Black 903UXCM

**SARA Section 302 extremely hazardous substances:** Not determined.

**SARA Section 313 toxic chemicals:** Not determined.

**CERCLA:** Not determined.

**RCRA:** Not determined.

**Section 112(r) of the Clean Air Act (CAA):** Not determined.

**Massachusetts Right to Know:** Not determined.

**New Jersey Right to Know:** Not determined.

**New York Right to Know:** Not determined.

**Pennsylvania Right to Know:** Not determined.

**California Proposition 65:**

WARNING: This product contains a chemical known to the State of California to cause cancer.

1333-86-4

Respirable Carbon Black

## SECTION 16: Other information

**Abbreviations and Acronyms:** None

### Disclaimer:

This product has been classified in accordance with OSHA HCS 2012 guidelines. The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation and disposal and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.

**Initial preparation date:** 09.04.2017

**Revision date:** 10.25.2017

**End of Safety Data Sheet**